

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
73.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ2L62 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8650

Cab to Axle

CAB TO AXLE, INCHES	56.8
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JU 2009**

REAR VIEW MIRRORS		comply		
Doors and Windows				
DOORS		2		
WIPERS-WINDSHIELD-INTERMITTENT		COMPLY		
Lights and Lighting				
DAYTIME RUNNING LIGHTS		COMPLY		
Interior				
AIR CONDITIONING		COMPLY		
POWER STEERING		COMPLY		
UPHOLSTERY		COMPLY		
Floor				
FLOOR COVERING		COMPLY		
Radio				
AM/FM RADIO WITH COMPACT DISC PLAYER		COMPLY		
Seats				
SEATING CAPACITY min.		3		
SPLIT FRONT BENCH SEAT		40/20/40		
Safety				
POWER ANTILOCK BRAKES, FRONT AND REAR		COMPLY		
RESTRAINT SYSTEM, ALL SEATED POSITIONS		COMPLY		
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER		COMPLY		
Suspension				
SUSPENSION/SHOCKS		COMPLY		
Tires and Wheels				
LOAD RANGE		E		
TIRE PRESSURE MONITORING SYSTEM		Comply		
SPARE TIRE ASSEMBLY		FULL SIZE		
TIRES		LT265/70R17E A/S		
Warranty				
OEM CORROSION WARRANTY		5/ 100		
OEM POWERTRAIN WARRANTY		3/ 36		
OEM COMPREHENSIVE WARRANTY		COMPLY		
Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	N/A,N/A,N/A	\$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$_____
E85	ETHANOL FLEXIBLE FUEL		N/A	\$_____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Engine Accessories**

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____		\$ _____

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____		\$ _____
-----------	--	-------	--	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____		\$ _____
-----------	-----------------------	-------	--	----------

Exterior

RM	EXTRA WIDE MIRRORS	_____		\$ _____
-----------	--------------------	-------	--	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____		\$ _____
SRG	SLIDING REAR WINDOW	_____		\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____		\$ _____

Interior

TS	TILT STEERING	_____		\$ _____
CR	CRUISE CONTROL	_____		\$ _____
CU	CLOTH UPHOLSTERY	_____		\$ _____

Floor

CM	CARPETED FLOOR COVERING	_____		\$ _____
MF	FLOOR MATS	_____		\$ _____

Safety

SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____		\$ _____
-------------	--	-------	--	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____		\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____		\$ _____

Towing

FTH	FRONT TOW HOOKS	_____		\$ _____
------------	-----------------	-------	--	----------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____		\$ _____
------------	-------------------------------------	-------	--	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____		\$ _____
DDRG	DEALER DELIVERY GUAM	_____		\$ _____
DDRH	DEALER DELIVERY HAWAII	_____		\$ _____

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____		\$ _____
-------------	-----------------------------------	-------	--	----------

Miscellaneous

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____		\$ _____
-------------	---	-------	--	----------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	N/A	\$ _____
-------------	-------------------------	-------	-----	----------

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
73E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ2L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800

Cab to Axle

CAB TO AXLE, INCHES	56.8
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

REAR VIEW MIRRORS	comply
-------------------	--------

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT265/70R17E A/S

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment

Add Ship	OEM Data	Option Prices
----------	----------	---------------

Engines

YD	DIESEL ENGINE	_____	N/A,N/A,N/A	\$ _____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$ _____

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74A.1	5 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	Comply
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
TIRES	LT235/80R17E A/S
Warranty	
OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Cab to Axle				
CA8	CAB TO AXLE LENGTH 84 IN	_____		\$_____
Engines				
YD	DIESEL ENGINE	_____	6/6.7,305,610	\$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Package	\$_____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____		\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____		\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____		\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____		\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____		\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____		\$ _____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____		\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____		\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____		\$ _____
SRG	SLIDING REAR WINDOW	_____		\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____		\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____		\$ _____
DA	DELETE AIR CONDITIONING	_____		\$ _____
TS	TILT STEERING	_____		\$ _____
CR	CRUISE CONTROL	_____		\$ _____
CU	CLOTH UPHOLSTERY	_____		\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____		\$ _____
MF	FLOOR MATS	_____		\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____		\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____		\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____		\$ _____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____		\$ _____
DDRG	DEALER DELIVERY GUAM	_____		\$ _____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

DDRH DEALER DELIVERY HAWAII _____ \$ _____

Law Enforcement Options

DDRL DEACTIVATE DAYTIME RUNNING LIGHTS _____ \$ _____

Miscellaneous

PSME PARTS AND SERVICE MANUALS -- ELECTRONIC _____ \$ _____

Additional Requirements

AREQ ADDITIONAL REQUIREMENTS _____ N/A \$ _____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74B.1	5 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	\$_____
Engines				
YD	DIESEL ENGINE	_____	6/6.7,305,610	\$_____
Alternative Fuel Engines				

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Package	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUNE 1, 2009

AREQ ADDITIONAL REQUIREMENTS _____ Stand Alone \$ _____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74D.1	7 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment		Add Ship	OEM Data	Option Prices
Cab to Axle				
CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$_____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$_____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	\$_____
Engines				
YD	DIESEL ENGINE	_____	6/6.7,305,610	\$_____
Alternative Fuel Engines				

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009*****Additional Requirements*****AREQ** ADDITIONAL REQUIREMENTS

_____ Stand Alone

\$ _____

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

EXTRA WIDE MIRRORS		COMPLY		
Doors and Windows				
DOORS		4		
WIPERS-WINDSHIELD-INTERMITTENT		COMPLY		
Lights and Lighting				
DAYTIME RUNNING LIGHTS		COMPLY		
Interior				
AIR CONDITIONING		COMPLY		
POWER STEERING		COMPLY		
UPHOLSTERY		COMPLY		
Floor				
FLOOR COVERING		COMPLY		
Radio				
AM/FM RADIO WITH COMPACT DISC PLAYER		COMPLY		
Seats				
SEATING CAPACITY min.		6		
SPLIT FRONT BENCH SEAT		40/20/40		
Safety				
POWER ANTILOCK BRAKES, FRONT AND REAR		COMPLY		
RESTRAINT SYSTEM, ALL SEATED POSITIONS		COMPLY		
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER		COMPLY		
Suspension				
SUSPENSION/SHOCKS		COMPLY		
Tires and Wheels				
LOAD RANGE		E		
SPARE TIRE ASSEMBLY		FULL SIZE		
TIRES		LT235/80R17E A/S		
Warranty				
OEM CORROSION WARRANTY		5/100		
OEM POWERTRAIN WARRANTY		3/36		
OEM COMPREHENSIVE WARRANTY		COMPLY		
Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$ _____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Package	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Engine Accessories				

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

OLS	OIL LIFE SYSTEM	_____	Standard	\$_____
-----	-----------------	-------	----------	---------

Solicitation Number: M8-091004-N

4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74F.1	2 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

EXTRA WIDE MIRRORS COMPLY

Doors and Windows

DOORS 4

WIPERS-WINDSHIELD-INTERMITTENT COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS COMPLY

Interior

AIR CONDITIONING COMPLY

POWER STEERING COMPLY

UPHOLSTERY COMPLY

Floor

FLOOR COVERING COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER COMPLY

Seats

SEATING CAPACITY min. 6

SPLIT FRONT BENCH SEAT 40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR COMPLY

RESTRAINT SYSTEM, ALL SEATED POSITIONS COMPLY

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER COMPLY

Suspension

SUSPENSION/SHOCKS COMPLY

Tires and Wheels

LOAD RANGE F

SPARE TIRE ASSEMBLY FULL SIZE

TIRES 225/70R19.5F

Warranty

OEM CORROSION WARRANTY 5/100

OEM POWERTRAIN WARRANTY 3/36

OEM COMPREHENSIVE WARRANTY COMPLY

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

YD DIESEL ENGINE _____ 6/6.7,305,610 \$ _____

Alternative Fuel Engines

FB20 BIO DIESEL (B20) COMPATIBLE ENGINE _____ Stand Alone \$ _____

E85 ETHANOL FLEXIBLE FUEL _____ N/A \$ _____

Engine Accessories

OLS OIL LIFE SYSTEM _____ N/A \$ _____

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
74G.1	2 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

EXTRA WIDE MIRRORS		COMPLY		
Doors and Windows				
DOORS		4		
WIPERS-WINDSHIELD-INTERMITTENT		COMPLY		
Lights and Lighting				
DAYTIME RUNNING LIGHTS		COMPLY		
Interior				
AIR CONDITIONING		COMPLY		
POWER STEERING		COMPLY		
UPHOLSTERY		COMPLY		
Floor				
FLOOR COVERING		COMPLY		
Radio				
AM/FM RADIO WITH COMPACT DISC PLAYER		COMPLY		
Seats				
SEATING CAPACITY min.		6		
SPLIT FRONT BENCH SEAT		40/20/40		
Safety				
POWER ANTILOCK BRAKES, FRONT AND REAR		COMPLY		
RESTRAINT SYSTEM, ALL SEATED POSITIONS		COMPLY		
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER		COMPLY		
Suspension				
SUSPENSION/SHOCKS		COMPLY		
Tires and Wheels				
LOAD RANGE		F		
SPARE TIRE ASSEMBLY		FULL SIZE		
TIRES		225/70R19.5F		
Warranty				
OEM CORROSION WARRANTY		5/100		
OEM POWERTRAIN WARRANTY		3/36		
OEM COMPREHENSIVE WARRANTY		COMPLY		
Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	6/6.7,305,610	\$_____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$_____
Engine Accessories				
OLS	OIL LIFE SYSTEM		N/A	\$_____

Solicitation Number: M8-091004-N

4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
75A.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: **SPRINTER**

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	BASE
MFG. MODEL CODE	VB3L03
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	11,030
WHEEL BASE min. in.	144

Cab to Axle

CAB TO AXLE, INCHES	85.2
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/3.0
HORSEPOWER (min)	154
TORQUE (lb ft)	280
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	760

Fuel

FUEL CAPACITY MIN GALLONS	25
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Solicitation Number: M8-091004-N**4X2 CUTAWAY CAB AND CHASSIS, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Lights and Lighting**

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
SEATING CAPACITY min.	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT215/85R16

Warranty

OEM CORROSION WARRANTY	3/36
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	3/36

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

YD	DIESEL ENGINE	_____	6/3.0,154,280	\$_____
-----------	---------------	-------	---------------	---------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$_____
-------------	------------------------------------	-------	-----	---------

E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$_____
------------	-----------------------	-------	-----	---------

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	N/A	\$_____
------------	-----------------	-------	-----	---------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
77.1	8 / 4			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ7L62 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8650

Cab to Axle

CAB TO AXLE, INCHES	56.7
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/ 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	Comply
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT265/70R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	N/A,N/A,N/A	\$ _____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$ _____
Alternative Fuel Engines				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____		\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____		\$ _____
Exterior				
RM	EXTRA WIDE MIRRORS	_____		\$ _____
SZ	SNOW PLOW PREP PACKAGE	_____		\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____		\$ _____
SRG	SLIDING REAR WINDOW	_____		\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____		\$ _____
Interior				
TS	TILT STEERING	_____		\$ _____
CR	CRUISE CONTROL	_____		\$ _____
CU	CLOTH UPHOLSTERY	_____		\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____		\$ _____
MF	FLOOR MATS	_____		\$ _____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____		\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____		\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____		\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____		\$ _____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____		\$ _____
DDRG	DEALER DELIVERY GUAM	_____		\$ _____
DDRH	DEALER DELIVERY HAWAII	_____		\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____		\$ _____

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009*****Miscellaneous***

PSME PARTS AND SERVICE MANUALS -- ELECTRONIC _____ \$ _____

Additional Requirements

AREQ ADDITIONAL REQUIREMENTS _____ N/A \$ _____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
78E.1	15 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ7L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800

Cab to Axle

CAB TO AXLE, INCHES	56.7
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT265/70R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Optional Equipment		Add Ship	OEM Data	Option Prices
<i>Engines</i>				
YD	DIESEL ENGINE	_____	N/A,N/A,N/A	\$_____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$_____
<i>Alternative Fuel Engines</i>				
FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	N/A	\$_____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$_____

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79A.1	18 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	COMPLY
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT235/80R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009*****Cab to Axle***

CA8	CAB TO AXLE LENGTH 84 IN	_____	\$ _____
-----	--------------------------	-------	----------

Engines

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
----	---------------	-------	---------------	----------

E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$ _____
----	---	-------	-------------	----------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Package	\$ _____
------	------------------------------------	-------	---------	----------

E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
-----	-----------------------	-------	-----	----------

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
-----	-----------------	-------	----------	----------

EH	ENGINE BLOCK HEATER, OEM	_____		\$ _____
----	--------------------------	-------	--	----------

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____		\$ _____
----	-----------------------------	-------	--	----------

T6A	6-SPEED AUTOMATIC TRANSMISSION	_____		\$ _____
-----	--------------------------------	-------	--	----------

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____		\$ _____
----	------------------------	-------	--	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____		\$ _____
----	-----------------------	-------	--	----------

Electrical

A14	ALTERNATOR, 140 AMP MIN per SAE	_____		\$ _____
-----	---------------------------------	-------	--	----------

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____		\$ _____
-----	------------------------	-------	--	----------

Exterior

SZ	SNOW PLOW PREP PACKAGE	_____		\$ _____
----	------------------------	-------	--	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____		\$ _____
-----	----------------------	-------	--	----------

SRG	SLIDING REAR WINDOW	_____		\$ _____
-----	---------------------	-------	--	----------

PWL	POWER WINDOWS & DOOR LOCKS	_____		\$ _____
-----	----------------------------	-------	--	----------

Interior

AP	ADJUSTABLE OPERATING PEDALS	_____		\$ _____
----	-----------------------------	-------	--	----------

DA	DELETE AIR CONDITIONING	_____		\$ _____
----	-------------------------	-------	--	----------

TS	TILT STEERING	_____		\$ _____
----	---------------	-------	--	----------

CR	CRUISE CONTROL	_____		\$ _____
----	----------------	-------	--	----------

CU	CLOTH UPHOLSTERY	_____		\$ _____
----	------------------	-------	--	----------

Floor

CM	CARPETED FLOOR COVERING	_____		\$ _____
----	-------------------------	-------	--	----------

MF	FLOOR MATS	_____		\$ _____
----	------------	-------	--	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____		\$ _____
----	------------------------	-------	--	----------

LHFM	Front Manual Locking Hubs	_____		\$ _____
------	---------------------------	-------	--	----------

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

TD	DELETE SPARE TIRE ASSEMBLY	_____	\$_____
-----------	----------------------------	-------	---------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	\$_____
------------	-------------------------------------	-------	---------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	\$_____
-------------	--	-------	---------

DDRG	DEALER DELIVERY GUAM	_____	\$_____
-------------	----------------------	-------	---------

DDRH	DEALER DELIVERY HAWAII	_____	\$_____
-------------	------------------------	-------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	\$_____
-------------	-----------------------------------	-------	---------

Miscellaneous

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	\$_____
-------------	---	-------	---------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____ N/A	\$_____
-------------	-------------------------	-----------	---------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79B.1	24 / 3			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009*****Cab to Axle***

CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$ _____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$ _____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	\$ _____

Engines

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
-----------	---------------	-------	---------------	----------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
-----------	-----------------------------	-------	---------	----------

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
-----------	------------------------	-------	---------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Package	\$ _____
-----------	-----------------------	-------	---------	----------

Electrical

A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
------------	------------------------	-------	-------------	----------

Exterior

SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
-----------	------------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____

Interior

DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
-----------	-------------------------	-------	-------------	----------

Tires and Wheels

LHFA	Front Automatic Locking Hubs	_____	Standard	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Delivery

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79D.1	8 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009*****Engines***

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
-----------	---------------	-------	---------------	----------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
-------------	------------------------------------	-------	-------------	----------

E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
------------	-----------------------	-------	-----	----------

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
------------	-----------------	-------	-----	----------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79E.1	21 / 6			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT235/80R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009*****Engines***

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
E5	UPGRADED EXTRA POWER V8/V10 GASOLINE ENGINE	_____	N/A,N/A,N/A	\$ _____

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Package	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
------------	-----------------	-------	----------	----------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79F.1	34 / 5			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009*****Cab to Axle***

CA1	CAB TO AXLE LENGTH 108 IN	_____	Stand Alone	\$ _____
CA4	CAB TO AXLE LENGTH 120 IN	_____	Stand Alone	\$ _____
CA8	CAB TO AXLE LENGTH 84 IN	_____	Stand Alone	\$ _____

Engines

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
-----------	---------------	-------	---------------	----------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Stand Alone	\$ _____
-----------	-----------------------------	-------	-------------	----------

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
-----------	------------------------	-------	---------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
-----------	-----------------------	-------	----------	----------

Electrical

A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
------------	------------------------	-------	-------------	----------

Exterior

SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
-----------	------------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____

Interior

DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
-----------	-------------------------	-------	-------------	----------

Tires and Wheels

LHFA	Front Automatic Locking Hubs	_____	Standard	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Delivery

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
79G.1	25 / 7			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X4 CAB AND CHASSIS, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009*****Engines***

YD	DIESEL ENGINE	_____	6/6.7,305,610	\$ _____
-----------	---------------	-------	---------------	----------

Alternative Fuel Engines

FB20	BIO DIESEL (B20) COMPATIBLE ENGINE	_____	Stand Alone	\$ _____
-------------	------------------------------------	-------	-------------	----------

E85	ETHANOL FLEXIBLE FUEL	_____	N/A	\$ _____
------------	-----------------------	-------	-----	----------

Engine Accessories

OLS	OIL LIFE SYSTEM	_____	N/A	\$ _____
------------	-----------------	-------	-----	----------

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
82.1	548 / 379			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL

MFG. MODEL CODE

GROSS VEHICLE WEIGHT RATING (min/max- lbs)

DH2L62 W/XBC

8650

Cab to Axle

CAB TO AXLE, INCHES

56.9

Engine Minimums

ENGINE TYPE (Cylinders / Liters)

HORSEPOWER (min)

TORQUE (lb ft)

COOLING SYSTEM

8/5.7

355

395

COMPLY

Engine Accessories

ENGINE HOUR METER

COMPLY

Transmission

AUTOMATIC TRANSMISSION

5-SPEED

Drive Axle

PRIMARY DRIVE AXLE

DIFFERENTIAL TYPE/RATIO

REAR

3.73

Electrical

ALTERNATOR, MIN. (Amps)

BATTERY, MIN. (CCA)

136

600

Fuel

FUEL CAPACITY MIN GALLONS

35

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009**

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	Comply
SPARE TIRE ASSEMBLY	COMPLY
TIRES	LT245/70R17
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009****Engine Accessories**

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
-----------	------------------------	-------	---------	----------

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	\$ _____
-----------	--	-------	---------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Package	\$ _____
-----------	-----------------------	-------	---------	----------

Exterior

RM	EXTRA WIDE MIRRORS	_____	Stand Alone	\$ _____
-----------	--------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____

Interior

TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Standard	\$ _____
CU	CLOTH UPHOLSTERY	_____	Package	\$ _____

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____

Safety

SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	\$ _____
-------------	--	-------	-------------	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Package	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Towing

FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
------------	-----------------	-------	-------------	----------

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	\$ _____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Stand Alone	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
AL	ALUMINUM UTILITY BODY	_____	Package	\$ _____
BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Stand Alone	\$ _____
MEW	WINCH, ELECTRIC	_____	Stand Alone	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009**

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$_____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	\$_____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$_____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Package	\$_____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Package	\$_____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	\$_____
UPR	PIPE RACK	_____	Package	\$_____
URH	ROPE HOOKS	_____	Stand Alone	\$_____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$_____
UTR	TELESCOPING ROOF	_____	Package	\$_____
UVB	WISE BRACKET/PIPE REST	_____	Stand Alone	\$_____

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
84.1	54 / 49			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	Comply
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
TIRES	LT235/80R17E A/S
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	comply
Warranty	
OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

YD	DIESEL ENGINE	_____	Package	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
NAX	NARROW TRACK, REAR AXLE	_____	Package	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
RKS	REMOTE KEYLESS START	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
B11	BODY LENGTH, 11 FT	_____	Package	\$ _____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	\$ _____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	\$ _____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	\$ _____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
UPR	PIPE RACK	_____	Package	\$ _____
URH	ROPE HOOKS	_____	Package	\$ _____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
USS	SUPERSTRUCTURE	_____	Package	\$ _____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
UTR	TELESCOPING ROOF	_____	Package	\$ _____
UVB	WISE BRACKET/PIPE REST	_____	Package	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Package	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
84B.1	6 / 5			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Body/Chassis**

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

WR	INCREASE GVWR	_____	Standard	\$ _____
Engines				
YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	\$ _____
DBTP	STORAGE/TOWING BODY	_____	Package	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	\$ _____
B11	BODY LENGTH, 11 FT	_____	Package	\$ _____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
ORM	OFF ROAD BODY MOUNTING	_____	Package	\$ _____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Package	\$ _____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Package	\$ _____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
UPR	PIPE RACK	_____	Package	\$ _____
URH	ROPE HOOKS	_____	Package	\$ _____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
USS	SUPERSTRUCTURE	_____	Package	\$ _____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	\$ _____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
UTR	TELESCOPING ROOF	_____	Package	\$ _____
UVB	WISE BRACKET/PIPE REST	_____	Package	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Package	\$ _____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

Additional Requirements

AREQ ADDITIONAL REQUIREMENTS

_____ Stand Alone \$ _____

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
84D.1	4 / 4			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70R19.5
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	\$ _____
DBTP	STORAGE/TOWING BODY	_____	Package	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	\$ _____
B11	BODY LENGTH, 11 FT	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
ORM	OFF ROAD BODY MOUNTING	_____	Stand Alone	\$ _____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Package	\$ _____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Package	\$ _____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
UPR	PIPE RACK	_____	Package	\$ _____
URH	ROPE HOOKS	_____	Package	\$ _____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
USS	SUPERSTRUCTURE	_____	Package	\$ _____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	\$ _____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
UTR	TELESCOPING ROOF	_____	Package	\$ _____
UVB	WISE BRACKET/PIPE REST	_____	Package	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Package	\$ _____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

Solicitation Number: M8-091004-N

**4X2 UTILITY SERVICE, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

AREQ ADDITIONAL REQUIREMENTS

_____ Stand Alone

\$ _____

Solicitation Number: M8-091004-N

**4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
87.1	153 / 130			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ7L62 - XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8650

Cab to Axle

CAB TO AXLE, INCHES	56.7
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/ 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JANUARY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	A
TIRE PRESSURE MONITORING SYSTEM	Comply
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT265/70R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009**

BACK-UP ALARM	COMPLY
OFF ROAD BODY MOUNTING	COMPLY

Warranty

OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Optional Equipment**Add Ship****OEM Data****Option Prices****Engine Accessories**

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____

Transmission Accessories

PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
----	------------------------	-------	---------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Package	\$ _____
----	-----------------------	-------	---------	----------

Exterior

RM	EXTRA WIDE MIRRORS	_____	Stand Alone	\$ _____
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____

Interior

TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Standard	\$ _____
CU	CLOTH UPHOLSTERY	_____	Package	\$ _____

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____

Safety

SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	\$ _____
------	--	-------	-------------	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Package	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	\$ _____
HTH	HIDDEN TAMPER-PROOF HINGES	_____	Stand Alone	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
AL	ALUMINUM UTILITY BODY	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JI 2009**

BBM	BULKHEAD MAINTENANCE BODY	_____	Stand Alone	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Package	\$ _____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Package	\$ _____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Stand Alone	\$ _____
UPR	PIPE RACK	_____	Package	\$ _____
URH	ROPE HOOKS	_____	Stand Alone	\$ _____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
UTR	TELESCOPING ROOF	_____	Package	\$ _____
UVB	WISE BRACKET/PIPE REST	_____	Stand Alone	\$ _____

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$ _____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N

**4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
89A.1	65 / 49			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

SKID PLATE	COMPLY
------------	--------

Doors and Windows

DOORS	2
-------	---

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
--------------------------------	--------

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
-----------------------	---

SPLIT FRONT BENCH SEAT	40/20/40
------------------------	----------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
------------	---

SPARE TIRE ASSEMBLY	Full Size
---------------------	-----------

FRONT WHEEL LOCKING HUBS	automatic
--------------------------	-----------

TIRES	LT235/80R17E A/S
-------	------------------

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 9 FT	COMPLY
-------------------	--------

HIGH PROFILE MAINTENANCE BODY	COMPLY
-------------------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

OFF ROAD BODY MOUNTING

comply

Warranty

OEM CORROSION WARRANTY

5/ 100

OEM POWERTRAIN WARRANTY

3/36

OEM COMPREHENSIVE WARRANTY

COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines****YD** DIESEL ENGINE

Package

\$ _____

Engine Accessories**OLS** OIL LIFE SYSTEM

Standard

\$ _____

EH ENGINE BLOCK HEATER, OEM

Stand Alone

\$ _____

Transmission**T6** 6-SPEED MANUAL TRANSMISSION

Package

\$ _____

T6A 6-SPEED AUTOMATIC TRANSMISSION

Package

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Package

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Standard

\$ _____

NAX NARROW TRACK, REAR AXLE

Package

\$ _____

Electrical**A14** ALTERNATOR, 140 AMP MIN per SAE

Package

\$ _____

Fuel**AFM** OEM MID-SHIP FUEL TANK

Stand Alone

\$ _____

Exterior**SZ** SNOW PLOW PREP PACKAGE

Stand Alone

\$ _____

Doors and Windows**RKE** REMOTE KEYLESS ENTRY

Package

\$ _____

RKS REMOTE KEYLESS START

Package

\$ _____

SRG SLIDING REAR WINDOW

Stand Alone

\$ _____

PWL POWER WINDOWS & DOOR LOCKS

Package

\$ _____

Interior**AP** ADJUSTABLE OPERATING PEDALS

Package

\$ _____

DA DELETE AIR CONDITIONING

Package

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Stand Alone

\$ _____

CU CLOTH UPHOLSTERY

Stand Alone

\$ _____

Floor**CM** CARPETED FLOOR COVERING

Stand Alone

\$ _____

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

MF	FLOOR MATS	_____	Package	\$ _____
----	------------	-------	---------	----------

Tires and Wheels

AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
----	------------------------	-------	-------------	----------

LHFM	Front Manual Locking Hubs	_____	Standard	\$ _____
------	---------------------------	-------	----------	----------

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
----	----------------------------	-------	-------------	----------

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	\$ _____
-----	------------------	-------	---------	----------

LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
-----	-----------------------	-------	---------	----------

B11	BODY LENGTH, 11 FT	_____	Package	\$ _____
-----	--------------------	-------	---------	----------

BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____
-----	---------------------------	-------	---------	----------

CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
-----	-------------------------	-------	---------	----------

HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
-----	-------------------------	-------	---------	----------

J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
------	--------------------------------------	-------	-------------	----------

MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
-----	-------------------	-------	---------	----------

MEW	WINCH, ELECTRIC	_____	Package	\$ _____
-----	-----------------	-------	---------	----------

MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
-----	-----------------------	-------	---------	----------

MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
-----	----------------------	-------	---------	----------

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
-----	-----------------------------------	-------	-------------	----------

PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
-----	--	-------	-------------	----------

RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
-----	----------------	-------	-------------	----------

RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
------	-----------------------------	-------	---------	----------

RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
------	----------------------------	-------	---------	----------

UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
-----	--------------------------	-------	---------	----------

ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	\$ _____
------	--	-------	-------------	----------

ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	\$ _____
------	---	-------	-------------	----------

UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
-----	----------------------------------	-------	---------	----------

UPR	PIPE RACK	_____	Package	\$ _____
-----	-----------	-------	---------	----------

URH	ROPE HOOKS	_____	Stand Alone	\$ _____
-----	------------	-------	-------------	----------

USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
-----	---------------------------	-------	---------	----------

USS	SUPERSTRUCTURE	_____	Package	\$ _____
-----	----------------	-------	---------	----------

UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
-----	----------------------------------	-------	---------	----------

UTR	TELESCOPING ROOF	_____	Package	\$ _____
-----	------------------	-------	---------	----------

UVB	VISE BRACKET/PIPE REST	_____	Package	\$ _____
-----	------------------------	-------	---------	----------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
-----	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	\$ _____
------	--	-------	---------	----------

DDRH	DEALER DELIVERY HAWAII	_____	Package	\$ _____
------	------------------------	-------	---------	----------

Export Delivery

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

**4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
89B.1	4 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6 -SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
--	--------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	189
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009*****Fuel***

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

SKID PLATE	COMPLY
------------	--------

Doors and Windows

DOORS	2
-------	---

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
--------------------------------	--------

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
-----------------------	---

SPLIT FRONT BENCH SEAT	COMPLY
------------------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	Full Size
---------------------	-----------

FRONT WHEEL LOCKING HUBS	automatic
--------------------------	-----------

TIRES	225/70R19.5F
-------	--------------

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 9 FT	COMPLY
-------------------	--------

HIGH PROFILE MAINTENANCE BODY	COMPLY
-------------------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

OFF ROAD BODY MOUNTING

COMPLY

Warranty

OEM CORROSION WARRANTY

5/100

OEM POWERTRAIN WARRANTY

3/36

OEM COMPREHENSIVE WARRANTY

3/36

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Body/Chassis****WR2** INCREASE GCWR

Standard

\$ _____

Cab to Axle**CA1** CAB TO AXLE LENGTH 108 IN

Stand Alone

\$ _____

CA8 CAB TO AXLE LENGTH 84 IN

Stand Alone

\$ _____

Engines**YD** DIESEL ENGINE

Standard

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Standard

\$ _____

Transmission**T6** 6-SPEED MANUAL TRANSMISSION

Package

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Package

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Stand Alone

\$ _____

Electrical**A20** ALTERNATOR, 200 AMP Min per SAE

Stand Alone

\$ _____

BAT2 Dual Batteries

Standard

\$ _____

Fuel**AFM** OEM MID-SHIP FUEL TANK

Stand Alone

\$ _____

Exterior**SZ** SNOW PLOW PREP PACKAGE

Stand Alone

\$ _____

RM6 MIRRORS-EXTERIOR REARVIEW HEATED REMOTE

Package

\$ _____

Doors and Windows**RKE** REMOTE KEYLESS ENTRY

Package

\$ _____

SRG SLIDING REAR WINDOW

Stand Alone

\$ _____

PWL POWER WINDOWS & DOOR LOCKS

Package

\$ _____

Interior**DA** DELETE AIR CONDITIONING

Package

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Stand Alone

\$ _____

CU CLOTH UPHOLSTERY

Stand Alone

\$ _____

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009****Floor**

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
----	-------------------------	-------	-------------	----------

Tires and Wheels

LHFA	Front Automatic Locking Hubs	_____	Standard	\$ _____
------	------------------------------	-------	----------	----------

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
----	----------------------------	-------	-------------	----------

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Standard	\$ _____
----	------------------------------------	-------	----------	----------

Vendor Furnished Body Items

BLP	LOW PROFILE BODY	_____	Package	\$ _____
-----	------------------	-------	---------	----------

DBTP	STORAGE/TOWING BODY	_____	Package	\$ _____
------	---------------------	-------	---------	----------

LSM	MASTER LOCKING SYSTEM	_____	Package	\$ _____
-----	-----------------------	-------	---------	----------

TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	\$ _____
------	-----------------------------------	-------	---------	----------

B11	BODY LENGTH, 11 FT	_____	Package	\$ _____
-----	--------------------	-------	---------	----------

B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
-----	--------------------	-------	---------	----------

BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____
-----	---------------------------	-------	---------	----------

CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
-----	-------------------------	-------	---------	----------

HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
-----	-------------------------	-------	---------	----------

J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
------	--------------------------------------	-------	-------------	----------

MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
-----	-------------------	-------	---------	----------

MEW	WINCH, ELECTRIC	_____	Package	\$ _____
-----	-----------------	-------	---------	----------

MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
-----	-----------------------	-------	---------	----------

MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
-----	----------------------	-------	---------	----------

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
-----	-----------------------------------	-------	-------------	----------

PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
-----	--	-------	-------------	----------

RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
-----	----------------	-------	-------------	----------

RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
------	-----------------------------	-------	---------	----------

RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
------	----------------------------	-------	---------	----------

UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
-----	--------------------------	-------	---------	----------

ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Stand Alone	\$ _____
------	--	-------	-------------	----------

ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Stand Alone	\$ _____
------	---	-------	-------------	----------

UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
-----	----------------------------------	-------	---------	----------

UPR	PIPE RACK	_____	Package	\$ _____
-----	-----------	-------	---------	----------

URH	ROPE HOOKS	_____	Stand Alone	\$ _____
-----	------------	-------	-------------	----------

USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
-----	---------------------------	-------	---------	----------

USS	SUPERSTRUCTURE	_____	Package	\$ _____
-----	----------------	-------	---------	----------

USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	\$ _____
------	--	-------	---------	----------

UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
-----	----------------------------------	-------	---------	----------

UTR	TELESCOPING ROOF	_____	Package	\$ _____
-----	------------------	-------	---------	----------

UVB	VISE BRACKET/PIPE REST	_____	Package	\$ _____
-----	------------------------	-------	---------	----------

Delivery

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
-----	-------------------------------------	-------	-------------	---------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Package	\$_____
------	---	-------	---------	---------

DDRH	DEALER DELIVERY HAWAII	_____	Package	\$_____
------	------------------------	-------	---------	---------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
-----	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
------	---	-------	-------------	---------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
89D.1	4 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6 -SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
--	--------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY*****Fuel***

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

SKID PLATE	COMPLY
------------	--------

Doors and Windows

DOORS	2
-------	---

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
--------------------------------	--------

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
-----------------------	---

SPLIT FRONT BENCH SEAT	COMPLY
------------------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	Full Size
---------------------	-----------

FRONT WHEEL LOCKING HUBS	automatic
--------------------------	-----------

TIRES	225/70R19.5
-------	-------------

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
-----------------------	--------

BODY LENGTH, 9 FT	COMPLY
-------------------	--------

HIGH PROFILE MAINTENANCE BODY	COMPLY
-------------------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY**

OFF ROAD BODY MOUNTING

comply

Warranty

OEM CORROSION WARRANTY

5/100

OEM POWERTRAIN WARRANTY

3/36

OEM COMPREHENSIVE WARRANTY

COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines****YD** DIESEL ENGINE

Standard

\$ _____

Engine Accessories**EH** ENGINE BLOCK HEATER, OEM

Stand Alone

\$ _____

Transmission**T6** 6-SPEED MANUAL TRANSMISSION

Package

\$ _____

Transmission Accessories**PT** POWER TAKE OFF OPENING

Package

\$ _____

Drive Axle**D7** TOWING/MOUNTAIN RATIO

Standard

\$ _____

Electrical**A20** ALTERNATOR, 200 AMP Min per SAE

Stand Alone

\$ _____

BAT2 Dual Batteries

Standard

\$ _____

Fuel**AFM** OEM MID-SHIP FUEL TANK

Stand Alone

\$ _____

Exterior**SZ** SNOW PLOW PREP PACKAGE

Stand Alone

\$ _____

RM6 MIRRORS-EXTERIOR REARVIEW HEATED REMOTE

Package

\$ _____

Doors and Windows**RKE** REMOTE KEYLESS ENTRY

Package

\$ _____

SRG SLIDING REAR WINDOW

Stand Alone

\$ _____

PWL POWER WINDOWS & DOOR LOCKS

Package

\$ _____

Interior**DA** DELETE AIR CONDITIONING

Package

\$ _____

TS TILT STEERING

Standard

\$ _____

CR CRUISE CONTROL

Stand Alone

\$ _____

CU CLOTH UPHOLSTERY

Stand Alone

\$ _____

Floor**CM** CARPETED FLOOR COVERING

Stand Alone

\$ _____

Tires and Wheels**LHFA** Front Automatic Locking Hubs

Standard

\$ _____

TD DELETE SPARE TIRE ASSEMBLY

Stand Alone

\$ _____

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY**

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Standard	\$ _____
Vendor Furnished Body Items				
BLP	LOW PROFILE BODY	_____	Package	\$ _____
DBTP	STORAGE/TOWING BODY	_____	Package	\$ _____
LSM	MASTER LOCKING SYSTEM	_____	Stand Alone	\$ _____
TPCP	STORAGE/TOWING BODY CAB PROTECTOR	_____	Package	\$ _____
B11	BODY LENGTH, 11 FT	_____	Stand Alone	\$ _____
BBM	BULKHEAD MAINTENANCE BODY	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Stand Alone	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MHP	PIPE & CONDUIT HOLDER	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
PCI	PAINT COMPARTMENT INTERIOR SAME AS BODY EXTERIOR	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	\$ _____
UFT	TOP OPENING COMPARTMENTS	_____	Package	\$ _____
ULCL	LONG HORIZONTAL COMPARTMENT, LEFT SIDE	_____	Standard	\$ _____
ULCR	LONG HORIZONTAL COMPARTMENT, RIGHT SIDE	_____	Standard	\$ _____
UOR	OVERHEAD RACK WITH LADDER CLAMPS	_____	Package	\$ _____
UPR	PIPE RACK	_____	Package	\$ _____
URH	ROPE HOOKS	_____	Package	\$ _____
USM	SIDE MOUNTED LADDER RACKS	_____	Package	\$ _____
USS	SUPERSTRUCTURE	_____	Package	\$ _____
USS2	SUPERSTRUCTURE, EXTRA INTERIOR LOADSPACE HEIGH	_____	Package	\$ _____
UTC	SPARE TIRE CARRIER IN LOAD SPACE	_____	Package	\$ _____
UTR	TELESCOPING ROOF	_____	Standard	\$ _____
UVB	WISE BRACKET/PIPE REST	_____	Stand Alone	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, REGULAR CAB, MIN 16,001 GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY**

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSM	PARTS AND SERVICE MANUALS	_____	Stand Alone	\$_____
PSMA	AIR FORCE ONLY, 2 Sets PSM, Ship To WR ALC/LEET	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
94.1	49 / 45			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: SPRINTER

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	BASE
MFG. MODEL CODE	VB3L03
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	2800
WHEEL BASE min. in.	144

Cab to Axle

CAB TO AXLE, INCHES	85.2
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/3.0
HORSEPOWER (min)	154
TORQUE (lb ft)	280
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	760

Fuel

FUEL CAPACITY MIN GALLONS	25
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Solicitation Number: M8-091004-N**4X2 CUTAWAY DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1****Lights and Lighting**

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

RECLINING BUCKET/CAPTAINS CHAIRS	COMPLY
----------------------------------	--------

SEATING CAPACITY min.	COMPLY
-----------------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
---	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
------------	---

SPARE TIRE ASSEMBLY	FULL SIZE
---------------------	-----------

TIRES	LT215/85R16
-------	-------------

Vendor Furnished Body Items

BODY LENGTH, 12 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

INTERIOR PARTITION, SOLID TYPE	COMPLY
--------------------------------	--------

ROLL-UP REAR DOOR	COMPLY
-------------------	--------

HEIGHT INTERIOR, 84 IN	COMPLY
------------------------	--------

WOOD FLOORING	COMPLY
---------------	--------

FLAT CARGO FLOOR	COMPLY
------------------	--------

FIBERGLASS DELIVERY VAN BODY	COMPLY
------------------------------	--------

CONCENTRATED FLOOR LOAD (Min, Lbs)	COMPLY
------------------------------------	--------

Warranty

OEM CORROSION WARRANTY	3/36
------------------------	------

OEM POWERTRAIN WARRANTY	3/36
-------------------------	------

OEM COMPREHENSIVE WARRANTY	3/36
----------------------------	------

CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY
-----------------------------------	--------

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95.1	4 / 3			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	Comply
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	comply
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
TIRES	LT235/80R17E A/S
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

OEM COMPREHENSIVE WARRANTY

COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
NAX	NARROW TRACK, REAR AXLE	_____	Package	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
RKS	REMOTE KEYLESS START	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Towing**

FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
------------	-----------------	-------	-------------	----------

Vendor Furnished Body Items

AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDK	DOCK BUMPER	_____	Stand Alone	\$ _____
BR	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
BRT	INTERIOR ROPE TIES	_____	Package	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
DOM	2 CEILING DOME LIGHTS	_____	Package	\$ _____
DSH	HINGED SIDE DOOR	_____	Package	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Package	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Stand Alone	\$ _____
ILF	INTERIOR LINING	_____	Package	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Package	\$ _____
IR4	INSULATION, CARGO BODY	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Stand Alone	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
SOC	STORAGE OVER CAB	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Package	\$ _____
TLR	LOADING RAMPS	_____	Stand Alone	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Additional Requirements

AREQ ADDITIONAL REQUIREMENTS

_____ Stand Alone \$ _____

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95B.1	2 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
HEIGHT INTERIOR, 84 IN	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	1300
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

OEM COMPREHENSIVE WARRANTY

COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR	INCREASE GVWR	_____	Standard	\$_____
Engines				
YD	DIESEL ENGINE	_____	Standard	\$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$_____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$_____
BAT2	Dual Batteries	_____	Standard	\$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	\$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$_____
TS	TILT STEERING	_____	Standard	\$_____
CR	CRUISE CONTROL	_____	Stand Alone	\$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Vendor Furnished Body Items				
AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
B10	BODY LENGTH, 10 FT	_____	Standard	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDK	DOCK BUMPER	_____	Stand Alone	\$ _____
BR	TRANSLUCENT ROOF	_____	Package	\$ _____
BRT	INTERIOR ROPE TIES	_____	Package	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
CRT	CARGO RESTRAINING TRACK	_____	Stand Alone	\$ _____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
DSH	HINGED SIDE DOOR	_____	Package	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Package	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
ILF	INTERIOR LINING	_____	Package	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Package	\$ _____
IR4	INSULATION, CARGO BODY	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Standard	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Package	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
SOC	STORAGE OVER CAB	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Package	\$ _____
TLR	LOADING RAMPS	_____	Stand Alone	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009*****Miscellaneous***

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____
-------------	---	-------	-------------	----------

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N

4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
95C.1	3 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70R19.5
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
ROLL-UP REAR DOOR	COMPLY
WOOD FLOORING	COMPLY
FLAT CARGO FLOOR	COMPLY
FIBERGLASS DELIVERY VAN BODY	COMPLY
CONCENTRATED FLOOR LOAD (Min, Lbs)	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

CONTRACTOR COMPREHENSIVE WARRANTY

1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Standard	\$_____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$_____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$_____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$_____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$_____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$_____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$_____
BAT2	Dual Batteries	_____	Standard	\$_____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$_____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$_____
Paint				
BPC	BODY PAINT COLOR	_____	Stand Alone	\$_____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$_____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$_____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$_____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$_____
TS	TILT STEERING	_____	Standard	\$_____
CR	CRUISE CONTROL	_____	Stand Alone	\$_____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$_____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$_____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$_____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$_____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$_____

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Vendor Furnished Body Items**

AHV	AUXILIARY CARGO COMPARTMENT HEATER	_____	Stand Alone	\$ _____
B10	BODY LENGTH, 10 FT	_____	Standard	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDK	DOCK BUMPER	_____	Stand Alone	\$ _____
BR	TRANSLUCENT ROOF	_____	Stand Alone	\$ _____
BRT	INTERIOR ROPE TIES	_____	Package	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
CMS	CROSSVIEW MIRROR SYSTEM	_____	Package	\$ _____
CRT	CARGO RESTRAINING TRACK	_____	Package	\$ _____
DOM	2 CEILING DOME LIGHTS	_____	Stand Alone	\$ _____
DSH	HINGED SIDE DOOR	_____	Package	\$ _____
DSR	ROLL UP SIDE DOOR	_____	Package	\$ _____
DVAL	DELIVERY VAN ALUMINUM BODY	_____	Package	\$ _____
DVD	FULL WIDTH DUAL REAR DOORS	_____	Package	\$ _____
DVE	HEIGHT INTERIOR, 78 IN	_____	Package	\$ _____
DVG	DRIVER'S FAN	_____	Stand Alone	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
ILF	INTERIOR LINING	_____	Package	\$ _____
ILH	PARTIAL INTERIOR LINING	_____	Package	\$ _____
IR4	INSULATION, CARGO BODY	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
LEDV	BODY EXTERIOR DOT LIGHTING, LED	_____	Package	\$ _____
RCA	CARGO RAILS	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
SOC	STORAGE OVER CAB	_____	Stand Alone	\$ _____
SSD	SIDE DOOR STEPS	_____	Package	\$ _____
TLR	LOADING RAMPS	_____	Stand Alone	\$ _____
VRS	ROOF VENTILATION, STATIC	_____	Stand Alone	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

Solicitation Number: M8-091004-N**4X2 REGULAR CAB DRY CARGO VAN, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****PSME** PARTS AND SERVICE MANUALS -- ELECTRONIC

_____ Stand Alone \$ _____

Additional Requirements**AREQ** ADDITIONAL REQUIREMENTS

_____ Stand Alone \$ _____

Solicitation Number: M8-091004-N

**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J
2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
122.1	147 / 47			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ2L62 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8650

Cab to Axle

CAB TO AXLE, INCHES	56.8
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	Comply
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT265/70R17E A/S
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$_____

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Package	\$ _____
Exterior				
RM	EXTRA WIDE MIRRORS	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
RKS	REMOTE KEYLESS START	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Package	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____
Safety				
SIAB	SIDE SUPPLEMENTAL RESTRAINT SYSTEM, ROW1	_____	Stand Alone	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
Vendor Furnished Body Items				
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 8,000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED J 2009**

MEW	WINCH, ELECTRIC	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
-------------	-----------------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
122E.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ2L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800

Cab to Axle

CAB TO AXLE, INCHES	56.8
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT265/70R17E A/S
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124.1	306 / 149			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	comply

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	comply
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
TIRES	LT235/80R17E A/S

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	comply

Warranty

OEM CORROSION WARRANTY	5/ 100
OEM POWERTRAIN WARRANTY	3/ 36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	comply

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

YD	DIESEL ENGINE
----	---------------

_____	Package	\$_____
-------	---------	---------

Engine Accessories

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
NAX	NARROW TRACK, REAR AXLE	_____	Package	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
RKS	REMOTE KEYLESS START	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	N/A	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Stand Alone	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$_____
MBG	FRONT BRUSH GUARD	_____	Package	\$_____
MEW	WINCH, ELECTRIC	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____
<i>Delivery</i>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
<i>Delivery outside CONUS</i>				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
<i>Export Delivery</i>				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
<i>Law Enforcement Options</i>				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
<i>Miscellaneous</i>				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
<i>Additional Requirements</i>				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124B.1	14 / 13			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

EXTRA WIDE MIRRORS COMPLY

Doors and Windows

DOORS COMPLY

WIPERS-WINDSHIELD-INTERMITTENT COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS COMPLY

Interior

AIR CONDITIONING cOMPLY

POWER STEERING COMPLY

UPHOLSTERY COMPLY

Floor

FLOOR COVERING COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER COMPLY

Seats

SEATING CAPACITY min. 3

SPLIT FRONT BENCH SEAT 40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR COMPLY

RESTRAINT SYSTEM, ALL SEATED POSITIONS COMPLY

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER &
FRONT PASSENGER COMPLY**Suspension**

SUSPENSION/SHOCKS COMPLY

Tires and Wheels

LOAD RANGE F

SPARE TIRE ASSEMBLY FULL SIZE

TIRES 225/70R19.5

Vendor Furnished Body Items

BODY LENGTH, 9 FT COMPLY

BACK-UP ALARM COMPLY

Warranty

OEM CORROSION WARRANTY 5/100

OEM POWERTRAIN WARRANTY 3/36

OEM COMPREHENSIVE WARRANTY COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY 1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Body/Chassis**

WR INCREASE GVWR

Standard

\$ _____

Engines

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1, 2**

BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$_____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$_____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	\$_____
MBG	FRONT BRUSH GUARD	_____	Package	\$_____
MEW	WINCH, ELECTRIC	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124D.1	9 / 8			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	COMPLY
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
TIRES	225/70R19.5
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Standard	\$_____
Engine Accessories				

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
Towing				
FTH	FRONT TOW HOOKS	_____	Standard	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$_____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$_____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$_____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	\$_____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$_____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$_____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	\$_____
MBG	FRONT BRUSH GUARD	_____	Package	\$_____
MEW	WINCH, ELECTRIC	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$_____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____
<i>Delivery</i>				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
<i>Delivery outside CONUS</i>				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
<i>Export Delivery</i>				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
<i>Law Enforcement Options</i>				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$_____
<i>Miscellaneous</i>				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
<i>Additional Requirements</i>				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124E.1	6 / 4			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT235/80R17E A/S
Vendor Furnished Body Items	
BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124F.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
124G.1	1 / 0			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Vendor Furnished Body Items	
BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
128E.1	4 / 3			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ7L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800

Cab to Axle

CAB TO AXLE, INCHES	56.7
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Fuel**

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT265/70R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 9201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129.1	56 / 47			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT235/80R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/ 100
------------------------	--------

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
NAX	NARROW TRACK, REAR AXLE	_____	Package	\$ _____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
RKS	REMOTE KEYLESS START	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
MF	FLOOR MATS	_____	Package	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

LHFM	Front Manual Locking Hubs	_____	Standard	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____

Vendor Furnished Body Items

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$ _____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Package	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129A.1	8 / 5			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6 -SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
--	--------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	3/36
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Body/Chassis				
WR2	INCREASE GCWR	_____	Standard	\$ _____
Engines				
YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Standard	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Standard	\$ _____

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Vendor Furnished Body Items**

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Stand Alone	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$ _____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Law Enforcement Options

DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
-------------	-----------------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129B.1	12 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6 -SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
--	--------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	COMPLY

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Electrical				
A20	ALTERNATOR, 200 AMP Min per SAE	_____	Stand Alone	\$ _____
BAT2	Dual Batteries	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
RM6	MIRRORS-EXTERIOR REARVIEW HEATED REMOTE	_____	Package	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
LHFA	Front Automatic Locking Hubs	_____	Standard	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Standard	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED 1, 2009**

B12	BODY LENGTH, 12 FT	_____	Package	\$ _____
B14	BODY LENGTH, 14 FT	_____	Package	\$ _____
B16	BODY LENGTH, 16 FT	_____	Package	\$ _____
BBS	BULKHEAD, STAKE BODY	_____	Package	\$ _____
BDF	DIAMOND TREAD STEEL FLOOR	_____	Package	\$ _____
BDF4	FLOORING-BED-RECYCLED MATERIAL	_____	Package	\$ _____
BDS	DUMP HOIST FOR STAKE BODY	_____	Package	\$ _____
BRH	STAKE RACKS, 40 IN	_____	Stand Alone	\$ _____
BSF	SMOOTH STEEL FLOOR	_____	Package	\$ _____
HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	\$ _____
HTG	HYDRAULIC LIFT TAILGATE	_____	Package	\$ _____
HTGR	RAIL TYPE LIFT GATE	_____	Package	\$ _____
HTGU	HYDRAULIC FOLD UNDER TAIL GATE	_____	Package	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH3V	DRAW BAR RECEIVER CLASS III	_____	Package	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
Delivery outside CONUS				
DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____
Export Delivery				
1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
Law Enforcement Options				
DDRL	DEACTIVATE DAYTIME RUNNING LIGHTS	_____	Stand Alone	\$ _____
Miscellaneous				
MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____
Additional Requirements				
AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129D.1	13 / 11			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT235/80R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 8 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129E.1	3 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
129F.1	8 / 4			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 9 FT	COMPLY
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

Solicitation Number: M8-091004-N

4X4 STAKE BED TRUCK, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
141.1	7 / 4			
Net Invoice:			Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500
Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.
DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.	OEM Data
Body/Chassis	
TRIM LEVEL	ST
MFG. MODEL CODE	DJ2L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800
Cab to Axle	
CAB TO AXLE, INCHES	56.8
Engine Minimums	
ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY
Engine Accessories	
ENGINE HOUR METER	COMPLY
Transmission	
AUTOMATIC TRANSMISSION	5-SPEED
Drive Axle	
PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73
Electrical	
ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730
Fuel	
FUEL CAPACITY MIN GALLONS	35
Exterior	

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, CREW CAB, MIN 8000 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 1**

REAR VIEW MIRRORS	comply
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT265/70R17E A/S
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
144.1	39 / 10			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT235/80R17E A/S
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
144A.1	1 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
144B.1	1 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

EXTRA WIDE MIRRORS	COMPLY
Doors and Windows	
DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SHOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	225/70R19.5F
Vendor Furnished Body Items	
STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
147.1	258 / 67			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 2500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DJ7L92 W/XBC
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	8800

Cab to Axle

CAB TO AXLE, INCHES	56.7
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	3.73

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY*****Fuel***

FUEL CAPACITY MIN GALLONS	35
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	COMPLY
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT265/70R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 8 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 9,201 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY**

BACK-UP ALARM	COMPLY
---------------	--------

OFF ROAD BODY MOUNTING	COMPLY
------------------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

OEM POWERTRAIN WARRANTY	3/36
-------------------------	------

OEM COMPREHENSIVE WARRANTY	COMPLY
----------------------------	--------

CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY
-----------------------------------	--------

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
149.1	41 / 31			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DD8L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	59.9
---------------------	------

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

	FUEL CAPACITY MIN GALLONS	52
Exterior		
	EXTRA WIDE MIRRORS	COMPLY
	SKID PLATE	COMPLY
Doors and Windows		
	DOORS	4
	WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting		
	DAYTIME RUNNING LIGHTS	COMPLY
Interior		
	AIR CONDITIONING	COMPLY
	POWER STEERING	COMPLY
	UPHOLSTERY	COMPLY
Floor		
	FLOOR COVERING	COMPLY
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats		
	SEATING CAPACITY min.	6
	SPLIT FRONT BENCH SEAT	40/20/40
Safety		
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension		
	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	E
	SPARE TIRE ASSEMBLY	FULL SIZE
	FRONT WHEEL LOCKING HUBS	automatic
	TIRES	LT235/80R17E A/S
Towing		
	FRONT TOW HOOKS	COMPLY
Vendor Furnished Body Items		
	STEP TYPE REAR BUMPER	COMPLY
	BODY LENGTH, 8 FT	COMPLY
	HIGH PROFILE MAINTENANCE BODY	COMPLY
	BACK-UP ALARM	COMPLY
	OFF ROAD BODY MOUNTING	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

Warranty

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
149A.1	26 / 15			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP9L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16,000

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009**

OFF ROAD BODY MOUNTING

COMPLY

Warranty

OEM CORROSION WARRANTY

5/100

OEM POWERTRAIN WARRANTY

3/36

OEM COMPREHENSIVE WARRANTY

COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY

COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
149B.1	10 / 8			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.

OEM Data

Body/Chassis

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L93
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	18,750

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
TRANSFER CASE	2-SPEED

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	4
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	6
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
SPARE TIRE ASSEMBLY	FULL SIZE
FRONT WHEEL LOCKING HUBS	automatic
TIRES	225/70R19.5F

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

STEP TYPE REAR BUMPER	COMPLY
BODY LENGTH, 9 FT	COMPLY
HIGH PROFILE MAINTENANCE BODY	COMPLY
BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N

4X4 UTILITY SERVICE, CREW CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JULY 2009

OFF ROAD BODY MOUNTING	COMPLY
Warranty	
OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	COMPLY

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
154.1	10 / 7			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DD3L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12,500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8/5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5 speed
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Fuel

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

EXTRA WIDE MIRRORS COMPLY

Doors and Windows

DOORS 2

WIPERS-WINDSHIELD-INTERMITTENT comply

Lights and Lighting

DAYTIME RUNNING LIGHTS Comply

Interior

AIR CONDITIONING COMPLY

POWER STEERING COMPLY

UPHOLSTERY COMPLY

Floor

FLOOR COVERING COMPLY

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER comply

Seats

SEATING CAPACITY min. 3

SPLIT FRONT BENCH SEAT 40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR COMPLY

RESTRAINT SYSTEM, ALL SEATED POSITIONS COMPLY

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER COMPLY

Suspension

SUSPENSION/SHOCKS COMPLY

Tires and Wheels

LOAD RANGE E

SPARE TIRE ASSEMBLY Full Size

TIRES LT235/80R17E A/S

Vendor Furnished Body Items

BODY LENGTH, 8 FT COMPLY

BACK-UP ALARM COMPLY

Warranty

OEM CORROSION WARRANTY 5/ 100

OEM POWERTRAIN WARRANTY 3/ 36

OEM COMPREHENSIVE WARRANTY COMPLY

CONTRACTOR COMPREHENSIVE WARRANTY 1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

YD DIESEL ENGINE

Package

\$ _____

Engine Accessories

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Rear Axle Differential				
D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Package	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
BC	BODY COVER	_____	Stand Alone	\$ _____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
Delivery				
CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB. MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009*****Delivery outside CONUS***

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
-------------	--	-------	-------------	----------

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____
-------------	------------------------	-------	-------------	----------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____
-------------	---	-------	-------------	----------

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
154B.1	1 / 1			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP4L64
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	16500

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Transmission Accessories

POWER TAKE OFF OPENING	Comply
------------------------	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.44

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	COMPLY
-------	--------

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
--------------------------------	--------

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
-----------------------	---

SPLIT FRONT BENCH SEAT	40/20/40
------------------------	----------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
--	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	FULL SIZE
---------------------	-----------

TIRES	225/70R19.5F
-------	--------------

Vendor Furnished Body Items

BODY LENGTH, 10 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

OEM POWERTRAIN WARRANTY	3/36
-------------------------	------

OEM COMPREHENSIVE WARRANTY	COMPLY
----------------------------	--------

CONTRACTOR COMPREHENSIVE WARRANTY	1/12000
-----------------------------------	---------

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

YD	DIESEL ENGINE	_____	Standard	\$ _____
-----------	---------------	-------	----------	----------

Engine Accessories

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
-----------	--------------------------	-------	-------------	----------

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
-----------	-----------------------------	-------	---------	----------

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
-----------	--	-------	-------------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
-----------	-----------------------	-------	-------------	----------

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
------------	------------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
------------	----------------------	-------	---------	----------

SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
------------	---------------------	-------	-------------	----------

PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
------------	----------------------------	-------	---------	----------

Interior

DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
-----------	-------------------------	-------	---------	----------

TS	TILT STEERING	_____	Standard	\$ _____
-----------	---------------	-------	----------	----------

CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
-----------	----------------	-------	-------------	----------

CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
-----------	------------------	-------	-------------	----------

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
-----------	-------------------------	-------	-------------	----------

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
-----------	----------------------------	-------	-------------	----------

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
-----------	------------------------------------	-------	-------------	----------

Vendor Furnished Body Items

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
-------------	----------------------------	-------	---------	----------

B09	BODY LENGTH, 9 FT	_____	Package	\$ _____
------------	-------------------	-------	---------	----------

BC	BODY COVER	_____	Stand Alone	\$ _____
-----------	------------	-------	-------------	----------

DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
-------------	--------------------------------------	-------	-------------	----------

MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
------------	-------------------	-------	---------	----------

MEW	WINCH, ELECTRIC	_____	Package	\$ _____
------------	-----------------	-------	---------	----------

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
------------	-----------------------------------	-------	---------	----------

RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
------------	----------------	-------	-------------	----------

RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
-------------	----------------------------	-------	---------	----------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
-------------	--	-------	-------------	---------

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
-------------	------------------------	-------	-------------	---------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Solicitation Number: M8-091004-N

4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
154H.1	4 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP5L64
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6-SPEED
------------------------	---------

Transmission Accessories

POWER TAKE OFF OPENING	Comply
------------------------	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	730

Fuel

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
--------------------	--------

Doors and Windows

DOORS	COMPLY
-------	--------

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
--------------------------------	--------

Lights and Lighting

DAYTIME RUNNING LIGHTS	COMPLY
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
------------------	--------

POWER STEERING	COMPLY
----------------	--------

UPHOLSTERY	COMPLY
------------	--------

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
-----------------------	---

SPLIT FRONT BENCH SEAT	COMPLY
------------------------	--------

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
---------------------------------------	--------

RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
--	--------

FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
--	--------

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	F
------------	---

SPARE TIRE ASSEMBLY	Full Size
---------------------	-----------

TIRES	225/70R19.5F
-------	--------------

Vendor Furnished Body Items

BODY LENGTH, 10 FT	COMPLY
--------------------	--------

BACK-UP ALARM	COMPLY
---------------	--------

Warranty

OEM CORROSION WARRANTY	5/100
------------------------	-------

OEM POWERTRAIN WARRANTY	3/36
-------------------------	------

OEM COMPREHENSIVE WARRANTY	COMPLY
----------------------------	--------

CONTRACTOR COMPREHENSIVE WARRANTY	1/12000
-----------------------------------	---------

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

YD	DIESEL ENGINE	_____	Standard	\$ _____
-----------	---------------	-------	----------	----------

Engine Accessories

EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
-----------	--------------------------	-------	-------------	----------

Transmission

T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
-----------	-----------------------------	-------	---------	----------

Rear Axle Differential

D3	SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	_____	Stand Alone	\$ _____
-----------	--	-------	-------------	----------

Drive Axle

D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
-----------	-----------------------	-------	----------	----------

Fuel

AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
------------	------------------------	-------	-------------	----------

Doors and Windows

RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
------------	----------------------	-------	---------	----------

SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
------------	---------------------	-------	-------------	----------

PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
------------	----------------------------	-------	---------	----------

Interior

DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
-----------	-------------------------	-------	---------	----------

TS	TILT STEERING	_____	Standard	\$ _____
-----------	---------------	-------	----------	----------

CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
-----------	----------------	-------	-------------	----------

CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
-----------	------------------	-------	-------------	----------

Floor

CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
-----------	-------------------------	-------	-------------	----------

Tires and Wheels

TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
-----------	----------------------------	-------	-------------	----------

TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Stand Alone	\$ _____
-----------	------------------------------------	-------	-------------	----------

Vendor Furnished Body Items

IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
-------------	----------------------------	-------	---------	----------

B09	BODY LENGTH, 9 FT	_____	Package	\$ _____
------------	-------------------	-------	---------	----------

BC	BODY COVER	_____	Stand Alone	\$ _____
-----------	------------	-------	-------------	----------

DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	\$ _____
------------	----------------------	-------	-------------	----------

HSC	CENTRAL HYDRAULIC SYSTEM	_____	Package	\$ _____
------------	--------------------------	-------	---------	----------

J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
-------------	--------------------------------------	-------	-------------	----------

MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
------------	-------------------	-------	---------	----------

MEW	WINCH, ELECTRIC	_____	Package	\$ _____
------------	-----------------	-------	---------	----------

MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Package	\$ _____
------------	-----------------------------------	-------	---------	----------

RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
------------	----------------	-------	-------------	----------

RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$ _____
-------------	----------------------------	-------	---------	----------

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

Solicitation Number: M8-091004-N**4X2 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
-------------	--	-------	-------------	---------

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
-------------	------------------------	-------	-------------	---------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
159.1	30 / 12			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 3500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DC8L63
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	12500

Cab to Axle

CAB TO AXLE, INCHES	60
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	8 / 5.7
HORSEPOWER (min)	383
TORQUE (lb ft)	400
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
TRANSFER CASE	COMPLY

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	COMPLY
--	--------

Drive Axle

PRIMARY DRIVE AXLE	REAR
DIFFERENTIAL TYPE/RATIO	4.10

Electrical

ALTERNATOR, MIN. (Amps)	160
BATTERY, MIN. (CCA)	730

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Fuel**

FUEL CAPACITY MIN GALLONS	52
---------------------------	----

Exterior

EXTRA WIDE MIRRORS	COMPLY
SKID PLATE	COMPLY

Doors and Windows

DOORS	2
WIPERS-WINDSHIELD-INTERMITTENT	COMPLY

Lights and Lighting

DAYTIME RUNNING LIGHTS	Comply
------------------------	--------

Interior

AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY

Floor

FLOOR COVERING	COMPLY
----------------	--------

Radio

AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
--------------------------------------	--------

Seats

SEATING CAPACITY min.	3
SPLIT FRONT BENCH SEAT	40/20/40

Safety

POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY

Suspension

SUSPENSION/SHOCKS	COMPLY
-------------------	--------

Tires and Wheels

LOAD RANGE	E
SPARE TIRE ASSEMBLY	Full Size
FRONT WHEEL LOCKING HUBS	automatic
TIRES	LT235/80R17E A/S

Towing

FRONT TOW HOOKS	COMPLY
-----------------	--------

Vendor Furnished Body Items

BODY LENGTH, 8 FT	Comply
BACK-UP ALARM	COMPLY

Warranty

OEM CORROSION WARRANTY	5/ 100
------------------------	--------

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	COMPLY
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Package	\$ _____
Engine Accessories				
OLS	OIL LIFE SYSTEM	_____	Standard	\$ _____
EH	ENGINE BLOCK HEATER, OEM	_____	Stand Alone	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
T6A	6-SPEED AUTOMATIC TRANSMISSION	_____	Package	\$ _____
Transmission Accessories				
PT	POWER TAKE OFF OPENING	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Standard	\$ _____
Electrical				
A14	ALTERNATOR, 140 AMP MIN per SAE	_____	Package	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
AP	ADJUSTABLE OPERATING PEDALS	_____	Package	\$ _____
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
AT	ALL TERRAIN TIRE TREAD	_____	Stand Alone	\$ _____
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 10,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

BC	BODY COVER	_____	Stand Alone	\$_____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	\$_____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$_____
MBG	FRONT BRUSH GUARD	_____	Package	\$_____
MEW	WINCH, ELECTRIC	_____	Package	\$_____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
159A.1	8 / 2			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 4500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL

ST

MFG. MODEL CODE

DP9L64

Cab to Axle

CAB TO AXLE, INCHES

84

Engine Minimums

ENGINE TYPE (Cylinders / Liters)

6/ 6.7

HORSEPOWER (min)

305

TORQUE (lb ft)

610

COOLING SYSTEM

COMPLY

Engine Accessories

ENGINE HOUR METER

COMPLY

Transmission

AUTOMATIC TRANSMISSION

6 -SPEED

TRANSFER CASE

COMPLY

Transmission Accessories

POWER TAKE OFF OPENING

Comply

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC

Comply

Drive Axle

PRIMARY DRIVE AXLE

COMPLY

DIFFERENTIAL TYPE/RATIO

4.44

Electrical

ALTERNATOR, MIN. (Amps)

180

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

	BATTERY, MIN. (CCA)	730
Fuel		
	FUEL CAPACITY MIN GALLONS	52
Exterior		
	EXTRA WIDE MIRRORS	COMPLY
	SKID PLATE	COMPLY
Doors and Windows		
	DOORS	2
	WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting		
	DAYTIME RUNNING LIGHTS	COMPLY
Interior		
	AIR CONDITIONING	COMPLY
	POWER STEERING	COMPLY
	UPHOLSTERY	COMPLY
Floor		
	FLOOR COVERING	COMPLY
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats		
	SEATING CAPACITY min.	3
	SPLIT FRONT BENCH SEAT	COMPLY
Safety		
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension		
	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	F
	SPARE TIRE ASSEMBLY	Full Size
	FRONT WHEEL LOCKING HUBS	automatic
	TIRES	225/70R19.5F
Towing		
	FRONT TOW HOOKS	COMPLY
Vendor Furnished Body Items		
	BODY LENGTH, 10 FT	COMPLY
	BACK-UP ALARM	COMPLY
Warranty		

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	3/36
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment		Add Ship	OEM Data	Option Prices
Engines				
YD	DIESEL ENGINE	_____	Standard	\$ _____
Engine Accessories				
EH	ENGINE BLOCK HEATER, OEM	_____	Standard	\$ _____
Transmission				
T6	6-SPEED MANUAL TRANSMISSION	_____	Package	\$ _____
Drive Axle				
D7	TOWING/MOUNTAIN RATIO	_____	Stand Alone	\$ _____
Fuel				
AFM	OEM MID-SHIP FUEL TANK	_____	Stand Alone	\$ _____
Exterior				
SZ	SNOW PLOW PREP PACKAGE	_____	Stand Alone	\$ _____
Doors and Windows				
RKE	REMOTE KEYLESS ENTRY	_____	Package	\$ _____
SRG	SLIDING REAR WINDOW	_____	Stand Alone	\$ _____
PWL	POWER WINDOWS & DOOR LOCKS	_____	Package	\$ _____
Interior				
DA	DELETE AIR CONDITIONING	_____	Package	\$ _____
TS	TILT STEERING	_____	Standard	\$ _____
CR	CRUISE CONTROL	_____	Stand Alone	\$ _____
CU	CLOTH UPHOLSTERY	_____	Stand Alone	\$ _____
Floor				
CM	CARPETED FLOOR COVERING	_____	Stand Alone	\$ _____
Tires and Wheels				
TD	DELETE SPARE TIRE ASSEMBLY	_____	Stand Alone	\$ _____
TT	ALL TERRAIN TREAD--REAR TIRES ONLY	_____	Standard	\$ _____
Vendor Furnished Body Items				
IBOX	SUPPLY STORAGE COMPARTMENT	_____	Package	\$ _____
B09	BODY LENGTH, 9 FT	_____	Package	\$ _____
BC	BODY COVER	_____	Stand Alone	\$ _____
DDS	DROP SIDE, DUMP BODY	_____	Stand Alone	\$ _____
J560	SEVEN CONDUCTOR ELECTRICAL CONNECTOR	_____	Stand Alone	\$ _____
MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 14,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$_____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$_____
RBV	RUNNING BOARDS	_____	Stand Alone	\$_____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Package	\$_____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$_____
------------	-------------------------------------	-------	-------------	---------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$_____
-------------	--	-------	-------------	---------

DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$_____
-------------	------------------------	-------	-------------	---------

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$_____
-------------	-------------------------	-------	-------------	---------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$_____
------------	----------------------	-------	-------------	---------

PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$_____
-------------	---	-------	-------------	---------

Solicitation Number: M8-091004-N

4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
159H.1	12 / 3			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: 5500

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE: _____

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	ST
MFG. MODEL CODE	DP0L64
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	19500

Cab to Axle

CAB TO AXLE, INCHES	84
---------------------	----

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/ 6.7
HORSEPOWER (min)	305
TORQUE (lb ft)	610
COOLING SYSTEM	COMPLY

Engine Accessories

ENGINE HOUR METER	COMPLY
-------------------	--------

Transmission

AUTOMATIC TRANSMISSION	6 -SPEED
TRANSFER CASE	COMPLY

Transmission Accessories

POWER TAKE OFF OPENING	COMPLY
------------------------	--------

Rear Axle Differential

SPECIAL TRACTION DIFFERENTIAL, AUTOMATIC	Comply
--	--------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	4.88

Electrical

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

	ALTERNATOR, MIN. (Amps)	180
	BATTERY, MIN. (CCA)	730
Fuel		
	FUEL CAPACITY MIN GALLONS	52
Exterior		
	EXTRA WIDE MIRRORS	COMPLY
	SKID PLATE	COMPLY
Doors and Windows		
	DOORS	2
	WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
Lights and Lighting		
	DAYTIME RUNNING LIGHTS	COMPLY
Interior		
	AIR CONDITIONING	COMPLY
	POWER STEERING	COMPLY
	UPHOLSTERY	COMPLY
Floor		
	FLOOR COVERING	COMPLY
Radio		
	AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats		
	SEATING CAPACITY min.	3
	SPLIT FRONT BENCH SEAT	COMPLY
Safety		
	POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
	RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
	FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension		
	SUSPENSION/SHOCKS	COMPLY
Tires and Wheels		
	LOAD RANGE	F
	SPARE TIRE ASSEMBLY	Full Size
	FRONT WHEEL LOCKING HUBS	automatic
	TIRES	225/70R19.5
Towing		
	FRONT TOW HOOKS	COMPLY
Vendor Furnished Body Items		
	BODY LENGTH, 10 FT	COMPLY
	BACK-UP ALARM	COMPLY

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009****Warranty**

OEM CORROSION WARRANTY	5/100
OEM POWERTRAIN WARRANTY	3/36
OEM COMPREHENSIVE WARRANTY	3/36
CONTRACTOR COMPREHENSIVE WARRANTY	1/12000

Optional Equipment**Add Ship****OEM Data****Option Prices****Engines**

YD DIESEL ENGINE

_____ Standard \$_____

Engine Accessories

EH ENGINE BLOCK HEATER, OEM

_____ Stand Alone \$_____

Transmission

T6 6-SPEED MANUAL TRANSMISSION

_____ Package \$_____

Drive Axle

D7 TOWING/MOUNTAIN RATIO

_____ Standard \$_____

Fuel

AFM OEM MID-SHIP FUEL TANK

_____ Stand Alone \$_____

Exterior

SZ SNOW PLOW PREP PACKAGE

_____ Stand Alone \$_____

Doors and Windows

RKE REMOTE KEYLESS ENTRY

_____ Package \$_____

SRG SLIDING REAR WINDOW

_____ Stand Alone \$_____

PWL POWER WINDOWS & DOOR LOCKS

_____ Package \$_____

Interior

DA DELETE AIR CONDITIONING

_____ Package \$_____

TS TILT STEERING

_____ Standard \$_____

CR CRUISE CONTROL

_____ Stand Alone \$_____

CU CLOTH UPHOLSTERY

_____ Stand Alone \$_____

Floor

CM CARPETED FLOOR COVERING

_____ Stand Alone \$_____

Tires and Wheels

TD DELETE SPARE TIRE ASSEMBLY

_____ Stand Alone \$_____

TT ALL TERRAIN TREAD--REAR TIRES ONLY

_____ Standard \$_____

Vendor Furnished Body Items

IBOX SUPPLY STORAGE COMPARTMENT

_____ Package \$_____

B09 BODY LENGTH, 9 FT

_____ Package \$_____

BC BODY COVER

_____ Stand Alone \$_____

DDS DROP SIDE, DUMP BODY

_____ Stand Alone \$_____

HSC CENTRAL HYDRAULIC SYSTEM

_____ Package \$_____

J560 SEVEN CONDUCTOR ELECTRICAL CONNECTOR

_____ Stand Alone \$_____

Solicitation Number: M8-091004-N**4X4 DUMP TRUCK, REGULAR CAB, MIN 16,001 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 DATED JUL 2009**

MBG	FRONT BRUSH GUARD	_____	Package	\$ _____
MEW	WINCH, ELECTRIC	_____	Package	\$ _____
MPS	SNOWPLOW, REVERSIBLE	_____	Package	\$ _____
MRS	STROBE TYPE WARNING LIGHT (Amber)	_____	Stand Alone	\$ _____
RBV	RUNNING BOARDS	_____	Stand Alone	\$ _____
RH4V	DRAW BAR RECEIVER CLASS IV	_____	Stand Alone	\$ _____

Delivery

CNS	CONSIGNEE DELIVERY (NO DEALER PREP)	_____	Stand Alone	\$ _____
------------	-------------------------------------	-------	-------------	----------

Delivery outside CONUS

DDRA	DEALER DELIVERY ANCHORAGE, FAIRBANKS OR JUNEAU, AK	_____	Stand Alone	\$ _____
DDRH	DEALER DELIVERY HAWAII	_____	Stand Alone	\$ _____

Export Delivery

1611	OEM EXPORT DOCUMENT FEE	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Miscellaneous

MIL	DATA PLATE AND DD250	_____	Stand Alone	\$ _____
PSME	PARTS AND SERVICE MANUALS -- ELECTRONIC	_____	Stand Alone	\$ _____

Additional Requirements

AREQ	ADDITIONAL REQUIREMENTS	_____	Stand Alone	\$ _____
-------------	-------------------------	-------	-------------	----------

Solicitation Number: M8-091004-N**4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009**

<u>Line Item NO.</u>	<u>Est Qty/Fleet</u>	<u>Unit Price</u>	<u>Total</u>	<u>MPG</u>
162.1	139 / 94			
		Net Invoice:	Net MSRP:	

OFFERORS SHALL FURNISH A PRICE FOR ALL AVAILABLE OPTIONAL EQUIPMENT LISTED BELOW. YOU ARE ADVISED THAT PRICING FOR BELOW THE LINE OPTIONS WILL BE EVALUATED FOR PRICE REASONABLENESS ONLY.

Model Name: SPRINTER

Assembly Point: _____

UNIT PRICE IS TO INCLUDE NEW VEHICLE PREPARATION AND DELIVERY TO CONSIGNEE, PORT OR DEALER.

DESTINATION CHARGE INCLUDED IN PRICE:

GSA Minimum Req.**OEM Data****Body/Chassis**

TRIM LEVEL	BASE
MFG. MODEL CODE	VB3L13
GROSS VEHICLE WEIGHT RATING (min/max- lbs)	9990
WHEEL BASE min. in.	144
BODY SIZE, OVERALL LENGTH min./max. in.	232

Engine Minimums

ENGINE TYPE (Cylinders / Liters)	6/3.0
HORSEPOWER (min)	154
TORQUE (lb ft)	280
COOLING SYSTEM	COMPLY

Transmission

AUTOMATIC TRANSMISSION	5-SPEED
------------------------	---------

Drive Axle

PRIMARY DRIVE AXLE	COMPLY
DIFFERENTIAL TYPE/RATIO	3.92

Electrical

ALTERNATOR, MIN. (Amps)	180
BATTERY, MIN. (CCA)	760

Fuel

FUEL CAPACITY MIN GALLONS	25
---------------------------	----

Exterior

REAR VIEW MIRRORS	comply
-------------------	--------

Doors and Windows

Solicitation Number: M8-091004-N**4X2 PANEL VAN, MAINTENANCE CONVERSION, MIN 9,200 LBS GVWR IN ACCORDANCE WITH FEDERAL STANDARDS 307 I
JULY 1, 2009**

WIPERS-WINDSHIELD-INTERMITTENT	COMPLY
REAR DOOR TYPE	COMPLY
SIDE DOOR TYPE	comply
Lights and Lighting	
DAYTIME RUNNING LIGHTS	COMPLY
Interior	
AIR CONDITIONING	COMPLY
POWER STEERING	COMPLY
UPHOLSTERY	COMPLY
Floor	
FLOOR COVERING	COMPLY
Radio	
AM/FM RADIO WITH COMPACT DISC PLAYER	COMPLY
Seats	
SEATING CAPACITY min.	COMPLY
FIRST ROW SEAT TYPE	COMPLY
Safety	
POWER ANTILOCK BRAKES, FRONT AND REAR	COMPLY
RESTRAINT SYSTEM, ALL SEATED POSITIONS	COMPLY
FRONT SUPPLEMENTAL RESTRAINT SYSTEM DRIVER & FRONT PASSENGER	COMPLY
Suspension	
SUSPENSION/SOCKS	COMPLY
Tires and Wheels	
LOAD RANGE	E
TIRE PRESSURE MONITORING SYSTEM	N/A
SPARE TIRE ASSEMBLY	FULL SIZE
TIRES	LT215/85R16 DUAL
Towing	
REAR BUMPER	COMPLY
Vendor Furnished Body Items	
BACK-UP ALARM	COMPLY
EQUIPMENT	COMPLY
Warranty	
OEM CORROSION WARRANTY	3 / 36
OEM POWERTRAIN WARRANTY	3 / 36
OEM COMPREHENSIVE WARRANTY	3 / 36
CONTRACTOR COMPREHENSIVE WARRANTY	1/12